

SAFETY DATA SHEET

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

1. Identification

Product identifier ERCOPure™ BCD-31
Other means of identification Sodium Chlorite Solution

EPA Registration Number: 9150-14

Recommended use Generation of chlorine dioxide for use as a disinfectant, or for use

as an oxidant. Bleaching of textiles and other fibers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name International Dioxcide, Inc.

Address 40 Whitecap Drive

North Kingstown, RI 02852 United States of America

Telephone Information #: (800) 477-6071

Website https://idiclo2.com

E-mail idiclo2@ercoworldwide.com

Emergency phone number Canada & U.S.A.: (800) 424 9300 (CHEMTREC)

International: (703) 527 3887

Supplier Refer to Manufacturer

2. Hazard(s) Identification

Physical hazards None

Health hazards Acute toxicity, oral Category 4

Acute toxicity, inhalation Category 3
Serious eye damage Category 1
Specific target organ toxicity, repeated Category 2

exposure (blood, kidneys, liver, spleen)

Skin corrosive Category 1B

Environmental hazards Not currently regulated by OSHA, refer to Section 12 for additional

information.

OSHA defined hazards This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Label elements









Signal word Danger



Hazard statement

Harmful if swallowed.

Toxic if inhaled.

Causes serious eye damage.

May cause damage to organs through prolonged or repeated exposure

(blood, kidneys, liver, spleen).

Causes severe skin burns and eye damage.

Precautionary statement

Prevention

Wear protective gloves, protective clothing, eye protection, face protection. Do not eat, drink or smoke when using this product. Do not breathe mists, vapors, spray. Wash hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area.

Response

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse

mouth. Do not induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing Rinse

skin with water or shower.

Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical attention.

IF exposed or concerned: Call a POISON CENTER or doctor.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents and containers in accordance with

local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Contact with some metals will generate flammable hydrogen gas. Chronic skin contact with low concentrations may cause dermatitis.

Contact with acids or reducing agents will generate toxic chlorine dioxide gas. If Sodium Chlorite dries on some types of fire-retardant clothing it is known to cause an exothermic reaction. The reaction has been known to cause burns to skin. Nomex appears to be the only material not to experience this

reaction.

Supplemental information

Not applicable.

3. Composition/Information on Ingredients

Chemical name	Common name and synonyms	CAS number	Conc. % By Weight
Sodium Chlorite	None	7758-19-2	31 w/w%
Dihydrogen Oxide	Water	7732-18-5	Balance



Chemical name of impurities, stabilizing solvents and/or additives: None.

4. First-Aid Measures

Inhalation Remove person to fresh air and keep comfortable for breathing. If breathing is

difficult, trained personnel should give oxygen. If breathing stops, provide artificial

respiration. Immediately call a POISON CENTER or doctor/physician.

Skin Contact Take off immediately all contaminated clothing. Immediately flush skin with

running water for at least 20 minutes. Wash contaminated clothing promptly. Leather and shoes that have been contaminated with the solution may need to be

destroyed. Immediately call a POISON CENTER or doctor/physician.

Eye Contact Immediately flush eyes with plenty of water for at least 20 minutes. Remove

contact lenses, if present and easy to do so. Continue rinsing. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a

POISON CENTER or doctor/physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to a victim

who is unconscious or is having convulsions. Call a POISON CENTER or

doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May be harmful or fatal if swallowed. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Can cause severe skin burns. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Prolonged exposure may cause chronic effects. Material is irritating to mucus membranes and upper respiratory tract. Symptoms may include bloody nose and sneezing. High concentrations may cause lung damage.

Indication of immediate medical attention and special treatment needed

Immediate medical attention is required. Causes chemical burns. May be harmful or fatal if swallowed. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-Fighting Measures

Suitable extinguishing media

Water spray, fog (flooding amounts). Water only; no dry chemical, CO_2 or Halon. This product itself does not burn but combustibles wetted with this solution and subsequently dried are easily ignited and burn vigorously.

Unsuitable extinguishing

media

DO NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can





be formed. DO NOT use carbon dioxide, dry chemical powder or other extinguishing agents that smother flames, since they are not effective in extinguishing fires involving oxidizers. Use chemical extinguishing agents with caution.

Specific hazards arising from the chemical Special protective equipment and precautions for firefighters

May intensify fire; oxidizer when dry. Drying of this product on clothing or combustible materials may cause fire.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

If Sodium Chlorite dries on some types of fire-retardant clothing it is known to cause an exothermic reaction. The reaction has been known to cause burns to skin. Nomex appears to be the only material not to experience this reaction.

Firefighting equipment /instructions

Evacuate area. Remove all sources of ignition. In case of fire: Stop leak if safe to do so. Move combustibles out of path of advancing pool if you can do so without risk. Move containers from fire area if you can do so without risk. Fight fire from upwind to avoid exposure to combustion products. In case of fire and/or explosion do not breathe fumes.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards May intensify fire; oxidizer when dry.

Hazardous combustion products

Disodium oxide. Hydrogen chloride. Oxygen. Contact with acids, organic materials, reducing agents or chlorine donors will produce chlorine dioxide gas and heat. Ventilate area with large amounts of air to keep the chlorine dioxide concentration low.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. DO NOT USE RAGS, SAWDUST OR OTHER COMBUSTIBLE ABSORBENTS.

Methods and materials for containment and cleaning up

Ventilate the contaminated area. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop the flow of material, if this is without risk. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Absorb in dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Do not let the product dry.



Small Spills: Absorb spill with dry sand, earth or other inert material. Neutralize the spilled material before disposal.

Large Spills: Stop the leak, if this is without risk. Dike the spilled material, where this is possible. Absorb in dry sand or earth and place into containers. If not recoverable, dilute with water or flush to holding area and neutralize. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and Storage

Precautions for safe handling

Use only in a well-ventilated area. Wear chemically resistant protective equipment during handling. Do not breathe mist or vapor. Do not taste or swallow. Keep away from heat. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not let the product dry. When using, do not eat, drink or smoke. Keep away from clothing and other combustible materials. Observe good industrial hygiene practices. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Store away from incompatible materials (see Section 10 of the SDS). Store in original tightly closed container. Do not store near combustible materials. Do not handle or store near an open flame, heat or other sources of ignition.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use separate, corrosion-resistant ventilation system to capture mist or fume. Do not use wood or other combustibles to construct vent system. Prevent entry into bearings or gear boxes, which could cause an explosion. Provide eyewash station.

Individual protection measures, such as personal protective equipment





Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin protection Hand protection

Gloves impervious to the material are recommended, such as butyl rubber or neoprene gloves. Advice should be sought from glove suppliers.

Other

Where contact is likely, wear chemical-resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield. Wear chemical protective equipment that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Eye wash facilities and emergency shower must be available when handling this product.

If Sodium Chlorite dries on some types of fire-retardant clothing it is known to cause an exothermic reaction. The reaction has been known to cause burns to skin. Nomex appears to be the only material not to experience this reaction.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA approved air-purifying respirator with the appropriate chemical cartridges or a positive-pressure, air-supplied respirator may be used to reduce exposure. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134). Seek advice from respiratory protection specialists.

Thermal Hazards

If Sodium Chlorite dries on some types of fire-retardant clothing it is known to cause an exothermic reaction. The reaction has been known to cause burns to skin. Nomex appears to be the only material not to experience this reaction.

General hygiene considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance Aqueous solution.
Physical state Liquid.



Form Liquid.

Color Clear water-white to slightly yellow liquid

Odor Odorless to slight Chlorine-like or faint bleach-like

Odor thresholdNot availableMolecular formulaNaClO2Molecular weight90.45pH>12

Melting point/Freezing Point 3°C (37.4°F)

Initial boiling point and boiling range 106 °C (1013 hPa)

Flash point Closed cup: >100°C (>212°F)

Evaporation rateFlammability (solid, gas)
Not available

Upper/lower flammability or explosive limits

Flammability limit – lower (%)
Flammability limit – upper (%)
Explosive limit – lower (%)
Explosive limit – upper (%)
Not available
Not available
Vapor pressure
Vapor density
Relative density
Not available
Not available
Not available

Solubility (ies)

Solubility (water)Miscible in waterPartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot available

Viscosity Dynamic: 3.26 mPa·s

Other information

Density1.26 g/cm³FlammabilityNot applicableSpecific gravityNot availableSurface tensionNot available

10. Stability and Reactivity

Reactivity The product is stable and non-reactive under normal conditions of use,

storage and transport. Reacts on mixing with acids to give toxic chlorine dioxide and chlorine gases. Mixtures with combustibles, if allowed to dry out, are easily ignited by heat or friction and burn vigorously or may

explode.

Chemical stability Material is stable under normal conditions. Will decompose if heated.

Absorption of atmospheric carbon dioxide may lower the pH of the

solution, which will cause it to slowly decompose.

Possibility of hazardous

reactions

Contact with acids, organic materials, reducing agents and oxidizing agents

will release toxic gases of chlorine and/or chlorine dioxide.



Conditions to Avoid Keep away from heat, sparks and open flame. Keep away from direct

sunlight and contact with incompatible materials. This product may react

with reducing agents.

Incompatible materials Combustible material. Acids. Organic compounds. Oxidizing agents. Metals.

Sulfur and Sulfur-containing materials. Ethylene glycol. Ammonia. Amines.

Phosphorus. Reducing agents.

Hazardous In the event of fire, the following can be released: Chlorine, Chlorine

decomposition products Dioxide.

11. Toxicological Information

Information on likely routes of exposure

Inhalation Toxic if inhaled.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage/irritation.

Ingestion Harmful if swallowed.

Delayed and immediate effects and chronic effects from short-term and long-term exposure

Effects of short-term (acute) exposure

Causes serious eye damage, may cause severe irritation and possibly burns. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Causes severe skin burns. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Acute ingestion of large quantities may also cause anemia due to the oxidizing effects of the chemical.

Material is irritating to mucous membranes and upper respiratory tract. Symptoms may include coughing, bloody nose and sneezing. High concentrations can cause lung damage.

May be harmful or fatal if swallowed. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Effects of long-term (chronic) exposure

Prolonged exposure may cause chronic effects. Dermatitis is likely to occur from repeated or prolonged contact. Other symptoms may include methemoglobinemia (causes bluish discoloration of the skin and mucous

membranes). Will irritate and may cause corrosion of the gastrointestinal tract.

Information on toxicological effects

Acute toxicity

Product Species Test Results

Sodium Chlorite Solution 40%



Acute

Inhalation

0.58 mg/L (Calculated ATE at 40%) LC_{50} Rat

Oral

 $LD_{50} \\$ Rat 413 mg/kg (Calculated ATE at 40%)

Product		Test	Test Results		
Sodium Chlorit	e Solution 37%				
		DECD Guideline 435, "In	17 min (Average breakthrough time		
		itro Membrane Barrier Test	calculated at 37%)		
	ľ	Method for Skin Corrosion"			
Components		Species	Test Results		
Sodium Chlorit	e (CAS 7758-19-2)				
	Acute				
	LC ₅₀	Rat	0.23 mg/L (Mist)		
	Oral				
	LD ₅₀	Rat	165 mg/kg		
* Estimates for product may be based on additional component data not shown.					
Skin corrosion	in corrosion/irritation Can cause severe skin burns.		urns.		
Serious eye da	mage/eye irritation	Can cause serious eye damage/irritation.			

Respiratory or skin sensitization

Respiratory sensitization Not expected to be a respiratory sensitizer.

Skin sensitizer Not sensitizing.

Germ cell mutagenicity Not expected to be mutagenic.

Carcinogenicity This product is not considered to be a carcinogen by IARC,

ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of

Carcinogenicity

Sodium Chlorite (CAS 7758-19-2) Not classifiable as to

carcinogenicity to humans.

OSHA Specifically Regulated

Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified as a reproductive toxin.



Specific target organ toxicity - single

exposure

Not classified as a specific target organ toxicity -single

exposure.

Specific target organ toxicity - repeated

exposure

Specific Target Organ Toxicity (STOT), Repeated Exposure:

blood, kidneys, liver, spleen.

Aspiration toxicity Not expected to be an aspiration hazard.

Chronic effects Chronic skin contact with low concentrations may cause

dermatitis. Prolonged or repeated overexposure may cause

blood, liver, spleen and kidney effects.

12. Ecological Information

Ecotoxicity

Toxic to aquatic life. In water and soil, sodium chlorite will eventually degrade to

sodium chloride.

Product Species Test Results Sodium Chlorite (CAS 7758-19-2) Aquatic Acute Green algae (Selenastrum capricornutum) Algae EC_{50} 1.2 mg/l Crustacea EC_{50} Water flea (Daphnia) 0.025 mg/l Fish Sheepshead minnow (Cyprinodon variegatus) LC_{50} 110 mg/l Chronic Algae EC_{50} Green algae (Selenastrum capricornutum) 1 mg/l

Persistence and degradability Biodegradation is not applicable to inorganic substances.

Bioaccumulative potential The product itself has not been tested

Mobility in soil In soil, will degrade to sodium chloride but may form chlorine

dioxide in contact with acidic soils. Chlorate is an intermediate product of decomposition; it will slowly degrade to chloride.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion,


photochemical ozone creation potential, endocrine disruption, global

warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical





or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

When discarded in its purchased form, this product meets the criteria of corrosivity, and should be managed as a hazardous waste (EPA Hazardous Waste Number D002). (40 CFR 261.20-24) Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product, should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14.Transport Information

Regulatory	UN	Proper	Classes	Packing	Label	Other Information
Information	Number	Shipping Name		Group		
DOT Classification	UN1908	Chlorite solution	8	II	¥22	Marine Pollutant Marine Pollutant A3, A6, A7, B2, IB2, N34, T7, TP2, TP24
IMDG Class	UN1908	CHLORITE SOLUTION	8	II	*2	Marine Pollutant Marine Pollutant Emergency schedules (EmS) F-A, S-B
IATA-DGR Class	UN1908	Chlorite solution	8	II	***************************************	Marine Pollutant Marine Pollutant Passenger aircraft 851: 1 L Cargo aircraft 855: 30 L



RQ: lbs.

15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the

> OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA

Inventory List.

TSCA Section 12(b) Export

Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List

(40 CFR 302.4)

SARA 304 Emergency release

notification

OSHA Specifically Regulated

Substances (29 CFR 1910.1001-1050)

Not regulated.

Not listed.

Not listed.

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous

substance

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Not listed.

No

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112

Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r)

Accidental Release Prevention (40

CFR 68.130)

Safe Drinking Water Act (SDWA)

Not regulated.

Not regulated.

Not regulated.

US state regulations

US. California Controlled Substances.

CA Department of Justice (California Health and Safety Code Section

11100)

US. Massachusetts RTK - Substance

List

Community Right-to-Know Act

US. New Jersey Worker and

US. Pennsylvania RTK – Hazardous

Substances

US. Rhode Island RTK

Not listed.

Sodium Chlorite (CAS 7758-19-2)

Sodium Chlorite (CAS 7758-19-2)

Sodium Chlorite (CAS 7758-19-2)

Not regulated.



US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16.Other Information

Issue date 4/1/2022 **Revision #** 8

Revision Indicator Clarified precautionary statements, added FR clothing precaution. **List of abbreviations** ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation and

Liability Act of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency

EPCRA: Emergency Planning and Community Right-to-Know Act

ERG: Emergency Response Guidebook HSDB® - Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer



IATA: International Air Transport Association

IBC: Intermediate Bulk Container

IDLH: immediately dangerous to life or health IMDG: International Maritime Dangerous Goods

LC: Lethal Concentration

LD: Lethal Dose

NIOSH: National Institute of Occupational Safety and Health

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organization for Economic Cooperation and Development

OEL: National occupational exposure limits

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RQ: Reportable Quantity

RTECS: Registry of Toxic Effects of Chemical Substances

SAR: supplied-air respirator

SCBA: self-contained breathing apparatus

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit TWA: Time Weighted Average

UN: United Nations

References None.

Disclaimer

Information presented in this SDS is furnished in accordance with OSHA's Hazard Communication Standard (HCS) 2012.

This information provided was developed and is provided for educational purposes and is not intended to be, nor should it be construed as, legal advice or as ensuring compliance with any laws or regulations of any jurisdiction. ERCO Worldwide, LP ("ERCO") assumes no responsibility and shall have no liability for any inaccuracies, errors or omissions in, nor for any damages (including consequential, or indirect damages), losses, costs, fees, resulting from the use of, or reliance on, any part of this information. Likewise, ERCO assumes no responsibility for injury to, or the death of, recipient(s) or users of this information, or for any loss or damage to any property, arising from the use or consideration of this information. The recipient(s) and users, and each of their respective employees and agents, assume all responsibility and liability for all such risks, costs, losses, damages, fees, or otherwise, even if caused by the negligence, omission, default, or error in judgement of ERCO, its agents, subsidiaries, affiliates, or representatives.

Recipients or users of this information should ensure, and are responsible for, its compliance with the current state of the law and legislation applicable thereto, and the content of the laws and regulations of any other jurisdictions, as applicable. Any person receiving or using this SDS is responsible for and must exercise their own judgment and due diligence in ensuring safe and lawful use and handling of any product or information, as they assume the risk of using or relying on any information contained herein.



